Qty:

Date: User:

Tuesday, 7/11/2006 1:05:23 PM

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Drawing Name

: PLATE

Job Number

: 27865

Estimate Number

: 10425

P.O. Number

: NIA

This Issue

: 7/11/2006

S.O. No. : NIA

Part Number Drawing Number : D32191

Prsht Rev. First Issue

: NC . NIA Type : MACHINED PARTS

Project Number

: D3219 REV A

Previous Run

Drawing Revision

: N/A

B 07 1V

: 27592

Material Due Date

Written By

Checked & Approved By Comment

New issue KJ/JLM ESR B 06.05.25 Waterjet

: 7/18/2006

Each 40 Um:

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M6061T6S125

6061-T6 .125 Sheet



Comment: Qty.:

Total: 4.0488 sf(s) 0.1012 sf(s)/Unit

6061-T6 .125 Sheet

To be made in multiples of 4

Material: 6061-T6 (QQ-A-200/11) 0.125" thick (M6061T6S.125) Batch: MI01092

2.0

WATER JET

FLOW WATER JET



Comment: FLOW WATER JET 1-Cut as per Dwg D3219

> Dwg Rev: ____ Prog Rev: A

2-Deburr if necessary

3.0

QC2



Comment: INSPECT PARTS AS THEY COME OFF MACHINE



4.0

QC8

SECOND CHECK

Comment: SECOND CHECK

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES							
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector		
	4								
	,								

NCR: V	ALA.	WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	'Initial Design Mgr				Approval Design Mgr	Approval QC Inspector	
06-07-13	4	2 parts scrap. Side damage (deep.) from at the pierce point, too close to the hole, due to W.J. Splash back.	OSEVO	Design Mgr Oles troy.	500 8007213	607.3	200	Q-0713	
		,						- 10 m	

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date: _	06.07.17
NOTE: Date & initial all entries	÷			QA: N/C Closed:	Date: _	

Tuesday, 7/11/2006 1:05:23 PM Date: User: Kim Johnston **Process Sheet** * Customer: CU-DAR001 Dart Helicopters Services Drawing Name: PLATE Part Number: D32191 Job Number: 27865 Job Number: Seq. #: Description: **Machine Or Operation:** SMALL & MEDIUM FAB RESOURCE 1 SMALL FAB 1 5.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Deburr if necessary. DIMENSIONAL CHECK 6.0 Comment: DIMENSIONAL CHECK PACKAGING RESOURCE #1 7.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: \/ DOCUMENT CONTROL 8.0 DC Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE By		PROCEDURE CHANGE By Date		Approval Mfg / Design Mgr				
16-07·3	6	QCS vegid. Perm. Change	SB	06/07/12	38	Basip	0.07.13			
	1-x									

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	Annroyal	Annroval		
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Approval Design Mgr	Approval QC Inspector		
	,									
								,		

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date:
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

DART AEROSPACE LTD	Work Order:	21865
Description: Plate	Part Number:	D3219-1
Inspection Dwg: D3219 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

	FIRST ARTICLE INSPECTION CHECKLIST						
	X First Article Pro				otype		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	C	omments
Ø0.316	+0.005/-0.000	0.316	V.		VEIN		
2.293	+/-0.005	2.292	V		VerN		
2.965	+/-0.010	2.975	V		VEIN		
0.566	+/-0.010	0.568	J		Hight GUAGE	L	
0.375	+/-0.010	0.375	V		vecu V		
R0.125	+/-0.010	RO. 125	V		RADIUS GUA	al .	
0.125	+/-0.010	0.122	//		vern	<i>J</i> -	
13.9	+/-0.010	13.9	7		Angle Motor	<u>~</u>	
					<u> </u>		
							71.
						 -	
							
Measured by:	<i>(</i> .///	Audited by:	1	, .	Prototype App	oroval:	N/A
Date:	60712	Date:	0007.	3		Date:	N/A

.,	, ,	

Revised by KJ/JLM

Change

04.04.19 New Issue

Date


Rev





	DESIG	a	DRAWN BY		SPACE LTD DISPACE LTD
	CHECK	ED,	APPROVED,	DRAWING NO.	REV. A
		-#-	1	D3219	SHEET 1 OF 1
-	DATE			TITLE	SCALE
	03.1	0.10		PLATE	1:1
	Α		03.10.10	NEW ISSUE	





D3219-1 PLATE

- 1) MACHINE PER DWG FILE "D3219-1.SLDPRT"
- 2) MATERIAL: 6061-T6, 0.125 THICK (QQ-A-250/11) (REF DART SPEC M6061T6S.125)
- 3) FINISH: NONE
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright @ 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.